



IXM TITAN

Multimodal. Multifactor. Multipurpose.

TITAN is powered by the most cutting-edge processors ever created, the Qualcomm Snapdragon 820 with the ultimate in processing power, connectivity, graphics, face detection, reliability and battery efficiency. To challenge the stature of the Snapdragon 820, TITAN incorporates Face recognition and Fingerprint or Finger Vein biometric modalities to be the pinnacle in physical security and user convenience.

Included in the plethora of soul arresting features is a 21 megapixel camera for face recognition and video intercom, satisfactory storage of users and transactions, incredibly fast authentication speeds and advanced connectivity options like Wi-Fi, Bluetooth, NFC. Oh Yes – TITAN supports integrated 3G/LTE cellular connectivity. The 5.0" screen is Invixium's largest to date with an exceptional interface and user feedback.



Face Recognition



2.2GHz Processor



Fingerprint



21 MP Camera



Finger Vein



5.0" LCD



All Cards Accepted



Aluminium Shell



BIOMETRIC SPECIFICATIONS

Face Recognition

- Automated Face Recognition Algorithm
- Liveness Detection
- Under 1 second authentication
- High throughput (12-18 users per minute)

Finger Vein


- Patented Technology from Hitachi
- Liveness Detection
- Increased privacy (No latent prints)
- Virtually contactless

Multispectral Fingerprint

- Patented Sensor from HID Lumidigm
- Liveness Detection
- Reads subsurface fingerprints
- Ideal for outdoor installs

Optical Fingerprint

- FBI and STQC Certified SecuGen Sensor
- High image quality but cost effective
- Scratch and impact resistant
- Ideal for indoor installs



Face Recognition Co	100K	Templates			
Face Recognition Co	500K	Templates			
Finger Vein Capacity	4K Templates				
Finger Vein Capacity	1 million Templates				
Fingerprint Capacity	100K Templates				
Fingerprint Capacity	1 million Templates				
Fingerprint Sensor Options		Multispectral	Fingerprint		
		Optical	Fingerprint		
Transaction Log Cap		> 1 million			
Image Log Capacity		10K Images			
Matching Speed			< 1 second		
RFID Card Options	IXM RFID – MIFARE Classic / DESFire / DESFire EV1 / EM Prox				
	iCLASS SE – MiFARE Classic/ DESFire/ DESFire EV1/ EM Prox/ HID Prox/ iCLASS Standard/SE/SR/Seos/PIV II				



TECHNICAL SPECIFICATIONS

Operating System	Android Nougat
Processor	2.2 GHz Quad Core Qualcomm Snapdragon 820
Flash Memory	64 GB Universal Flash Storage 2.0
RAM	4GB PoP LPDDR4 @ 1886MHz
Graphics	Adreno 530 GPU
ISPs	Spectra 14 bit dual ISPs
Camera	21 MP camera with Autofocus and LED Flash
Display	1080p (ultraHD) High Contrast Display
LCD	5.0" IPS Capacitive Touchscreen
LCD Protection	Corning Gorilla Glass with antimicrobial properties
Keypad	Digital Keypad via LCD
Audio	Stereo High-Fidelity Speaker
Communication Options	TCP/IP, RS232, RS485 (OSDP Compliant), USB-Aux, Wi-Fi
Ethernet	1000BASE-T
PoE+	Available - 802.3at
Wi-Fi	802.11ac 2X2MU-MIMO 2.4GHz/5GHz
Bluetooth	4.2LE
# of SPOs and SPIs	3 and 3
Door Access Controller	1A (1-Output, 2-Input, 1-Relay)
Door Strike Supply	12V - 24V (500mA - 250mA)
Anti Shock Vandal Protection	Standard
Battery Back-up	Li-ion 5000mAh (Sold separately)
HDMI	HDMI 2.0 out
Impact Protection	IK10
Water and Dust Ingress Protection	n IP67
Auto On (Proximity Sensor)	Available
Wiegand (In & Out)	Customizable up to 512 bits
Panel Feedback	Available (2 Physical Lines)
Power and Voltage	12V - 24V (3A - 1.5A)
Operating Temperature	-25 to 75° C (-13°F to 167°F)
Relative Humidity	0% ~ 95%, non condensing
Regulatory Approvals	RoHS, FCC, CE
Exterior Enclosure	Extruded Aluminium
Dimensions	27 x 9 x 9 cms (L x W x D)
Colors	Brushed Aluminium, Carbon Black









HIGHLIGHTS

Dual Biometrics (Multimodal)				
Liveness Detection				
Function Keys for Time Tracking				
Video Streaming				

Dual Biometrics (Multimodal)				
Liveness Detection				
Function Keys for Time Tracking				
Video Streaming				
Vandal Protection				

12 to 18 Users Per Minute				
100K Users for Face Recognition				
Video Surveillance				
Ideal for Outdoor Installs				
Software Included				

MODELS

	Face	FINGER VEIN	FINGERPRINT MULTISPECTRAL	Fingerprint Optical	iClass SE	IXM RFID	Colours
TITAN FV1	_	_		2000000		8000000	CARBON BLACK
			0000000	000000	0000000	000000	Brushed Aluminium Carbon Black
TITAN FV2	✓	✓				✓	Brushed Aluminium
TITAN FV5	✓	✓			✓		Carbon Black Brushed Aluminium
TITAN FPLV1	✓		✓				Carbon Black
TITAN FPLV2	✓		✓			✓	Carbon Black
TITAN FPLV5	✓		✓		✓		Carbon Black
TITAN FPU1	✓			✓			Carbon Black Brushed Aluminium
TITAN FPU2	✓			✓		✓	Carbon Black Brushed Aluminium
TITAN FPU5	✓			✓	✓		Carbon Black Brushed Aluminium